



MATERIAL SAFETY DATA SHEET

MemErase DryErase Surface Paint Part 2 White

Muraspec

Compilation Date: 12/08/2016

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: MemErase DryErase Surface Paint Part 2 White

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC9a: Coatings and paints, thinners, paint removers.

1.3. Details of the supplier of the safety data sheet

Company Name: Muraspec Decorative Solutions Ltd
74-78 Wood Lane End
Hemel Hempstead
Herts, HP2 4RF
UNITED KINGDOM
T: +44 (0) 3705 117 118
E: customerservices@muraspec.com
W: www.muraspec.com

1.4. Emergency Telephone Number

Emergency tel: 0800 043 4310

Manufacturer: Muraspec Decorative Solutions Ltd
74-78 Wood Lane End
Hemel Hempstead
Herts, HP2 4RF
UNITED KINGDOM
T: +44 (0) 3705 117 118
E: customerservices@muraspec.com
W: www.muraspec.com

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Sens. 1: H317

Most important adverse effects: May cause an allergic skin reaction.

2.2. Label elements

Label elements:

Hazard statements: H317: May cause an allergic skin reaction.

Signal words: Warning

Hazard pictograms:

GHS07: Exclamation mark



Precautionary statements:

P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.
P272: Contaminated work clothing should not be allowed out of the workplace.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+352: IF ON SKIN: Wash with plenty of water/and soap.
P321: Specific treatment (see instructions on this label).
P333+313: If skin irritation or rash occurs: Get medical attention.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients



MATERIAL SAFETY DATA SHEET

MemErase DryErase Surface Paint Part 2 White



Compilation Date: 12/08/2016

3.2. Mixtures

Hazardous ingredients:

4,4'-ISOPROPYLIDENEDICYCLOHEXANOL, OLIGOMERIC REACTION PRODUCTS WITH 1-CHLORO-2,3-EPOXYPROPANE

| EINECS CLP | CAS | PBT / WEL | Classification | Percent |
|------------|------------|-----------|---------------------------------------------|---------|
| - | 30583-72-3 | - | Skin Sens. 1: H317; Aquatic Chronic 3: H412 | 10-30% |

DIOCTYLZINNDINEODECANOAT

| | | | | |
|-----------|------------|---|------------------------------------------|-------|
| 269-595-4 | 68299-15-0 | - | STOT SE 2: H371; Aquatic Chronic 3: H412 | 1-10% |
|-----------|------------|---|------------------------------------------|-------|

METHANOL

| | | | | |
|-----------|---------|---|-------------------------------------------------------------------------------------------------|-----|
| 200-659-6 | 67-56-1 | - | Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370 | <1% |
|-----------|---------|---|-------------------------------------------------------------------------------------------------|-----|

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In the wet state this product is not combustible but when dried, it will burn and emit toxic fumes

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections



MATERIAL SAFETY DATA SHEET

MemErase DryErase Surface Paint Part 2 White



Compilation Date: 12/08/2016

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

METHANOL

Workplace exposure limits:

Respirable dust

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|----------------------|--------------|------------|--------------|
| IE | 260mg/m ³ | - | - | - |

DNEL / PNEC: No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves. As the product is a mixture of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber or fluorinated rubber gloves. Break through time: 480 min. Gloves must conform to EN 374.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic and physical and chemical properties

State: Liquid

Colour: White

Viscosity: Viscous

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In the wet state this product is not combustible but when dried, it will burn and emit toxic fumes.



MATERIAL SAFETY DATA SHEET

MemErase DryErase Surface Paint Part 2 White



Compilation Date: 12/08/2016

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

METHANOL

| | | | | |
|-----|-----|------|------|-------|
| IVN | RAT | LD50 | 2131 | gm/kg |
| ORL | MUS | LD50 | 7300 | gm/kg |
| ORL | RAT | LD50 | 5628 | mg/kg |

Relevant hazards for substance:

| Hazard | Route | Basis |
|--------------------------------|-------|-----------------------|
| Respiratory/skin sensitisation | DRM | Hazardous: calculated |

Symptoms/routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulator information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.



MATERIAL SAFETY DATA SHEET

MemErase DryErase Surface Paint Part 2 White



Compilation Date: 12/08/2016

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3:

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H317: May cause an allergic skin reaction.

H331: Toxic if inhaled.

H370: Causes damage to organs <or state all organs affected, if known>
<state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H371: May cause damage to organs <or state all organs affected, if known>
<state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.